

SAP DESCRIPTION:

MTL DBL 240504 S D08 BFC DC SOL DC NGR

SKU No.

71910-003305

Maximum Flow Rate: 110 m³/h


Inlet Pressure: 8 Bar

Sheet Size:

A4


Scale:

1:30



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED.

Designed By	Tamir Itai	15/02/2017
Drawn By	Barga	06 Feb 2018
Checked By		
QA		
Sheet: 1	Of: 3	Rev. -



SAP DESCRIPTION:

MTL DBL 240504 S D08 BFC DC SOL DC NGR

SKU No.

71910-003305

Maximum Flow Rate: 110 m³/h


Inlet Pressure: 8 Bar

Sheet Size:

A4

Scale:

1:30



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED

Designed By: Tamir Itai 15/02/2017


Drawn By: Barga 06 Feb 2018

Checked By:

QA

Sheet: 2 Of: 3 Rev. -

ITEM NO.	SAP Description	SAP Cat. No.	with manual filter/QTY.
1	METAL DBL.CHA.PLUS 24"×2" BSP PN08	71910-010036	5
2	METAL MAN 4"×3 OUT×2" VIC F/24" TANK	71910-001717	2
3	4" manual screen filter		1
4	METAL MAN 4"×2 OUT×2" VIC F/24" TANK	71910-001708	2
5	METAL BF MAN 3"×3 OUT×2" VIC F/24" TANK	71910-001716	1
6	METAL BF MAN 3"×2 OUT×2" VIC F/24" TANK	71910-001707	1
7	METAL TRANSITION 3" ISO FLANGE×VIC	71910-002005	1
8	METAL TRANSITION 4" ISO FLANGE×VIC	71910-002008	2
9	MET CUP 4"VIC W/2 OUT 1"BSP+1 OUT 1"BSP	71910-001801	2
10	METAL CUP 3" VIC	71910-001791	1
11	METAL NIPPLE 3"×200MM VIC/VIC+(3/4" BSP)	71910-008980	1
12	D 52 B.F. VALVE PLASTIC 2×2 ANGLE BSP	71600-006515	5
13	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
14	GALVA. SHORT NIPPLE 2	78200-016500	5
15	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	15
16	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	5
17	VICTAULIC COUPLING 4" ONE BOLT	71910-002502	7
18	Control stand + controller + Aquative bracket		1
19	CONTROL KIT FOR MEDIA FILTER - BSP	37090-009600	1
20	L.P. Check point (part of control kit)		1
21	NAVc 10 1" COMBINATION AV PN10 BSP	32600-002000	1
22	SUPPORT LEG 4"-100MM	71910-001899	3
23	SUPPORT LEG 4"-1000MM	71910-001906	1
24	SUPPORT LEG 3"-800MM	71910-001890	1
25	SUPPORT LEG 6"-80MM	71910-001966	1



SAP DESCRIPTION:
MTL DBL 240504 S D08 BFC DC SOL DC NGR

SKU No. 71910-003305

Maximum Flow Rate: 110 m³/h


Inlet Pressure: 8 Bar

Sheet Size:

A4

Scale:

1:20



NETAFIM™

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED.

Designed By: Tamir Itai 15/02/2017

Drawn By: Barga 06 Feb 2018

Checked By:

QA

Sheet: 3 Of: 3 Rev. -